


## Sharing Poll Results

Attendees are now viewing the poll results

### 1. What component(s) of the of the preterm brain injury prevention bundle are you implementing in your unit? (Multiple choice)




Stop Share Results

Re-launch Polling

## Sharing Poll Results

Attendees are now viewing the poll results

### 1. What component(s) of the of the preterm brain injury prevention bundle are you finding most challenging to implement? (Multiple choice)




Stop Share Results

Re-launch Polling

## Sharing Poll Results

Attendees are now viewing the poll results

### 1. Which component(s) of the preterm brain injury prevention bundle will you recommend prioritizing first to standardize/implement? (Multiple choice)




Stop Share Results

Re-launch Polling

## Sharing Poll Results

Attendees are now viewing the poll results

**1. How do you manage neonates with cord pH <7 with stable cardiorespiratory status but evolving symptomatology (one or more of: poor feeding, lethargy, decreased activity, Hypotonia, irritability, weak suck etc)?**




Stop Share Results

Re-launch Polling

## Sharing Poll Results

Attendees are now viewing the poll results

### 1. Does your unit use Fresh breast milk for extremely preterm neonates?



Stop Share Results


Re-launch Polling

## Sharing Poll Results


Attendees are now viewing the poll results

### 1. How do you define "Feeding Intolerance" in your unit?

We have unit policy to define feeding intolerance and routinely follow it (27) 23%



We do not have clearly defined "feeding intolerance" and it is physician dependent (89) 77%



Stop Share Results


Re-launch Polling

## Sharing Poll Results

Attendees are now viewing the poll results

### 1. Does your unit use Human Milk Based Fortifiers for preterm nutrition?


Yes, we are using it as routine for all eligible babies in our unit (46) 34%




Yes, we are using in specific condition/situation in our unit but not all babies (24) 18%




No, we are not using it in our unit because Cost is a barrier (29) 22%



No, we are not using in our unit because there is lack of convincing evidence of benefit (31) 23%



No, but we are working with our management to change our practice (4) 3%



Stop Share Results

Re-launch Polling